





















TSP654II Series

One model with so many upgrade options...

A fast 300mm/second thermal POS receipt printer, the TSP650II offers versatility at all levels with a range of connection options for traditional EPOS as well as newer mPOS and web based systems. The TSP650II combines high print quality and simple set up with Star's renowned reliability – all at great value.



"Entry level, ergonomic receipt printer fits seamlessly into the majority of Hospitality and Retail environments."



RETAIL

- Retail Couponing
- Point-of-Sale Receipting



HOSPITALITY

- Hotel Invoicing
- Table Receipting
- ... and so much more.

TSP654II options:

CB2002 Cash Drawer ECO black, Ultra white or standard white version for TSP654II Series









Splash Proof Cover

NEWS... All TSP654II models will include Star PS60 Power Supply free-of-charge. (TSP654SK not included)

TSP654II Series

Entry Level, 300mm/second POS Receipt Printer




- Fast single station transaction receipt printer producing receipts and tickets at 300mm/sec.
- High resolution print output 203 dpi with standard and 2D barcode support
- Energy Star Certified including PS60
- Near end sensor for horizontal and vertical use
- Ergonomic design with optional splash proof cover
- Star AutoLogo™ feature to independently add logos and coupons to receipts
- Easy "Drop-In & Print" paper loading
- User friendly, interchangeable plug-in interfaces allow for easy system upgrades
- NEW Digital Receipting available

Interface versions available:

- TSP654II Non Interface, available in White/Grey & NEW Ultra White models
- TSP654IID Serial, available in White/Grey
- TSP654IIC Parallel, available in White/Grey
- TSP654IIE Ethernet, available in Grey
- TSP654IIU USB, available in Grey
- TSP654IIBI Bluetooth, available in White/Grey
- NEW TSP654II CloudPRNT upgrade with the new HI X Connect interface (IFBD-HI01X) or buy the dual LAN/USB printer with Star CloudPRNT technology version

Options available:

PS60 Power Supply, Splash Proof Cover, Vertical Desk Stand





TSP654II AirPrint™

The World's 1st Apple Certified AirPrint™ POS printer

Star is proud to announce the launch of the TSP654II AirPrint™, the first and only 80 & 58mm receipt and ticket AirPrint POS printer certified by Apple. AirPrint is an Apple technology providing easy mobile printing solutions for Apple iPad, iPhone, iPod and MacBook users on any private network.

Star's TSP654II AirPrint Solution will provide Ethernet & WiFi use with an Apple WiFi Alliance certified dongle (EDIMAX EW-7811UN) included in the box with EU & UK power supplies.



TSP654IIBI Bluetooth





- Switches easily from Apple iOS Bluetooth to Android, Windows and Linux
- Out-of-the-box wireless desktop printing solution
- Apple MFi Certified Pairs with iPad, iPhone, iPod Touch as well as all Bluetooth Devices supporting Serial Port Profile (SPP)
- AutoConnect feature will reconnect to the last iOS host after power on or out of range situation
- Compatible with major operating systems including Apple iOS, Android, Windows, Linux handheld devices allowing the user to seamlessly migrate to another operating system, if required
- Demo apps available on Google Play and iTunes stores
- Star WebPRNT Browser for direct web printing from a web page from Google Play or App Store







TSP654II HI X with CloudPRNT NEW



LAN/WiFi remote printing direct from your web server to any printers anywhere in the world



- Out-of-the-box CloudPRNT internet connection through WiFi or LAN with remote document printing from your web server. Perfect for restaurant aggregation, warehousing etc.
- WiFi Ready using a compatible, locally sourced USB WiFi dongle matching the customer's preference and budget
- Dual Interface USB/LAN
- Star's previous WebPRNT LAN platform independent HTML/JavaScript printing from the Web included free-ofcharge, along with Star's AllReceipts Digital Receipting
- Peripheral Ready no PC required for peripheral use including barcode scanners with 2 USB host ports









TSP654SK Re-Stick

The variable length alternative to traditional labelling

- The Thermal Post-It[™] note solution for the POS market providing the ideal "Re-Stick" customer labelling solution for Pizzerias, Take-Out, Cafés, Promotional Couponing, Special Fast Food Orders etc.
- Reduced speed version of TSP650 designed to work with self-adhesive media. Contact Star for list of approved suppliers
- Environmentally friendly labelling with an increased percentage of labels available per roll and no wasted backing paper to dispose of



"The TSP654SK Re-Stick printer is designed to work in liner-free labelling applications."

> Full specifications on www.Star-EMEA.com

Direct Thermal Kiosk, Tablet POS and Traditional POS Receipt Printers

	TSP654II	TSP654II AirPrint™	TSP654II Bluetooth	TSP654II HI X CloudPRNT
STAR TSP654II PRINTER SERIES		AirPrint	***************************************	
Description	World's Largest Range of Entry-Level Receipt Printers			
Description	All printers feature 203 dpi resolution with high reliability (MCBF 60 million lines/2 million cuts)			
energy STAR	High Speed Thermal Receipt Printer LAN, USB, HI X CloudPRNT, Serial, Parallel & no interface versions	World's 1st Apple Certified AirPrint" Receipt Printer All set-up accessories in box	Superfast Thermal Bluetooth Receipt Printer All set-up accessories in box	High Speed Thermal LAN & Remote Cloud Receipt Printer with USB & Ethernet WiFl ready for 3rd party dongle
Paper Width	80mm (58mm Using Paper Guide)	80mm (58mm Using Paper Guide)	80mm (58mm Using Paper Guide)	80mm (58mm Using Paper Guide)
Print Width	72mm (80mm Paper) 50.8mm (58mm Paper)	72mm (80mm Paper) 50.8mm (58mm Paper)	72mm (80mm Paper) 50.8mm (58mm Paper)	72mm (80mm Paper) 50.8mm (58mm Paper)
Thickness	0.053 – 0.085mm	0.053 – 0.085mm	0.053 – 0.085mm	0.053 – 0.085mm
Paper Roll Size Outside Diameter	83mm	83mm	83mm	83mm
Power Supply	External Option PS60	External Option PS60	External Option PS60	External Option PS60
Print Speed	300mm/second	300mm/second	300mm/second	300mm/second
Autocutter	Partial Cut (Guillotine)	Partial Cut (Guillotine)	Partial Cut (Guillotine)	Partial Cut (Guillotine)
Unique Ethernet/LAN Print on Disconnect	Standard with Ethernet LAN IFBD-HE07 model			Standard with WiFi 3rd party dongle & Ethernet port
Dimensions / Weight (w x d x h mm)	142 x 203.5 x 132 1.60kg	142 x 203.5 x 132 1.60kg	142 x 203.5 x 132 1.60kg	142 x 203.5 x 132 1.60kg



